


# RESISTORES VITRIFICADOS



| Potência<br>W | L   | Dext | Dint | Dimensões em milímetros |     |    |    |    |    | G   | H   | I   | J  | K   |
|---------------|-----|------|------|-------------------------|-----|----|----|----|----|-----|-----|-----|----|-----|
|               |     |      |      | A                       | B   | C  | D  | E  | F  |     |     |     |    |     |
| 0 a 10        | 50  | 13   | 7    | 35                      | 70  | 33 | 20 | 15 | 7  | 4,1 | 4,1 | 0,6 | 7  | 5   |
| 11 a 25       | 50  | 16   | 10   | 35                      | 70  | 36 | 20 | 15 | 7  | 4,1 | 4,1 | 0,6 | 7  | 5   |
| 26 a 50       | 100 | 16   | 10   | 85                      | 120 | 36 | 20 | 15 | 7  | 4,1 | 4,1 | 0,6 | 7  | 5   |
| 51 a 80       | 110 | 20   | 12   | 95                      | 130 | 40 | 20 | 15 | 7  | 4,1 | 4,1 | 0,6 | 7  | 5   |
| 81 a 150      | 165 | 27   | 14   | 142                     | 180 | 55 | 20 | 15 | 11 | 5,0 | 5,0 | 0,8 | 11 | 7,5 |
| 151 a 200     | 220 | 27   | 14   | 197                     | 235 | 55 | 20 | 15 | 11 | 5,0 | 5,0 | 0,8 | 11 | 7,5 |
| 201 a 250     | 250 | 27   | 14   | 227                     | 265 | 55 | 20 | 15 | 11 | 5,0 | 5,0 | 0,8 | 11 | 7,5 |
| 251 a 300     | 300 | 30   | 20   | 277                     | 315 | 55 | 20 | 15 | 11 | 5,0 | 5,0 | 0,8 | 11 | 7,5 |
| 301 a 400     | 300 | 35   | 25   | 277                     | 315 | 60 | 20 | 15 | 11 | 5,0 | 5,0 | 0,8 | 11 | 7,5 |
| 401 a 500     | 320 | 40   | 30   | 290                     | 335 | 65 | 20 | 15 | 11 | 5,0 | 5,0 | 0,8 | 11 | 7,5 |
| 501 a 800     | 400 | 60   | 44   | 360                     | 426 | 85 | 20 | 25 | 11 | 5,0 | 6,5 | 1,0 | 20 | 12  |
| 801 a 1000    | 500 | 60   | 44   | 460                     | 426 | 85 | 20 | 25 | 11 | 5,0 | 6,5 | 1,0 | 20 | 12  |